

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Corr Defnition	Errors
1	BRSL1	50		("4394619" "4823075" "4851763" "5399965" "5477135" "5493211" "5659249" "4374333" "4425541" "4540935" "4882512" "5241270" "5841649" "6064191" "6066966" "6154027" "6175515" "4262159" "4370612" "4398342" "4464629" "4482849" "4558276" "4611127" "4626781" "4631458" "4804903" "4829239" "4881031" "4908577" "4929993" "4994731" "4999692" "5015945" "5194750" "5196784" "5245279" "5260614" "5293121" "5296802" "5298858" "5319291" "5322029" "5343146" "5438990" "5468652" "5497077" "5517104" "5552700" "5591996") .pn.	USPA T	2004/12/ 24 07:34			
2	BRSL2	326936	semiconductor\$	USPA T	2004/12/ 24 09:46				
3	BRSL3	46261	current near2 measur\$	USPA T	2004/12/ 24 09:54				
4	BRSL4	8408	hall near2 sensor\$	USPA T	2004/12/ 24 09:47				
5	BRSL5	575976	integrat\$	USPA T	2004/12/ 24 09:47				
6	BRSL6	1058591	chip\$ or circuit	USPA T	2004/12/ 24 07:36				
7	BRSL7	279008	chip\$	USPA T	2004/12/ 24 07:36				
8	BRSL8	958189	circuit	USPA T	2004/12/ 24 07:36				
9	BRSL9	254268	(current\$ or voltage\$) near2 suppl\$	USPA T	2004/12/ 24 09:48				

	Type	L #	Hits	Search Text	DBs	Time Stamp	Corr mm en ts	ro De fi ni ti on	Er ro rs
19	BRSL	20	725239	integrate\$	US- PGPU B; USOC R; EPO; JPO; DERW ENT; IBM_ TDB	2004/12/ 24 09:48			
20	BRSL	21	183162	(current\$ or voltage\$) near2 (supplies or supply)	USPA T	2004/12/ 24 09:48			
21	BRSL	22	269758	(current or voltage) near2 (supplies or supply)	US- PGPU B; USOC R; EPO; JPO; DERW ENT; IBM_ TDB	2004/12/ 24 09:49			
22	BRSL	23	114	17 and 18 and 20 and 22	US- PGPU B; USOC R; EPO; JPO; DERW ENT; IBM_ TDB	2004/12/ 24 09:50			
23	BRSL	24	25419	current near2 (measuring or measurement)	USPA T	2004/12/ 24 09:55			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
24	BRSL	25	32597	current near2 (measuring or measurement)	US-PGPU B; USOC R; EPO; JPO; DERW ENT; IBM_ TDB	2004/12/ 24 09:55			
25	BRSL	26	26	23 and 25	US-PGPU B; USOC R; EPO; JPO; DERW ENT; IBM_ TDB	2004/12/ 24 09:55			